

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4504	Bernstein.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:46
L2	36	dedinas.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:49
L3	38	salon.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:35
L4	97	nagorny.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:50
L5	15	L3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:58
L6	16	"610635"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:59
L7	0	-899635	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:35

## EAST Search History

L8	30	"899635"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:37
L9	16	"899732"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:05
L10	611	544/180.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:05
L11	1	L10 and MCH	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:06










187 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
Benzopenteneamide, N-[2-fluoro-5-(4-piperidinyl)phenyl]-2-methoxy-  
C13 H29 F N2 O2



..PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT..

1515 187 ANSMERS REGISTRY COPYRIGHT 2007 ACS on STN  
1-piperidineacetamide, N-[3-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-  
pyridinyl)phenyl]-  
C25 H25 N5 O2





..PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT..

197 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STM  
Acetonide, N-[4-(2-amino-3-cyano-6-[2-[(4-methoxyphenyl)methoxy]phenyl)-4-  
pyridinyl]-2-[2-(1-piperidinyl)ethoxy]phenyl]- (9C1)



● 2 HC1


115 157 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
● RC1








..PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT..




..PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT..

187 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
Acetamide, 2-[[3-(aminoinomethyl)phenyl][4-hydroxybutyl]amino]-N-[4-(4-  
piperidinyl)phenyl]-  
C24 H33 N5 O2  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, 2-[[3-(aminolalnoxyethyl)phenyl][4-(phenylethoxy)butyl]amino]-  
NF 4-(4-piperidinyl)phenyl]-  
C31 H33 N5 O2  
CI COM

C=CC=CC=C


12 103

Oc1ccc2cc(ccc2c1)/C=C/C(=O)CCN3CCCCC3N#CCc1ccc(cc1)C(=O)NCC

..PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT.


L15 157 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, N-[2-(4-piperidinyl)phenyl]-, monohydrochloride (9CI)

115 187 AUNTERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzenehexanamide, N-[2-fluoro-5-(4-piperidinyl)phenyl]-L-oxo-,  
monohydrochloride [5C1]  
MF C23 H27 F N2 O2 . C1 H



● HCl

L15 187 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
1-piperidinespropanal, N-[3-(2-amino-3-cyano-6-(3-hydroxyphenyl)-4-  
pyridinyl)phenyl]-, monohydrochloride (9Cl)




● HCl

L15 187 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Propanamide, N-[3-(4-piperidinyl)phenyl]- (9CI)  
MF C14 H20 N2 O




● HCl

L15 157 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-Piperidineacetamide, N-[4-(1,2,3,4-tetrahydro-2-oxo-4-quinolinyl)phenyl]-  
(5C1)  
ME C32 H42 N3 Q2




..PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT..

L15 187 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 5-Isaotetecarboxamide, 4-(cyclohexylthio)-3-[2,2-dimethyl-3-oxo-3-[(4-  
piperidinyl)phenyl]amino]propyl-N-tricyclo[3.1.1.1<sup>2,3</sup>.7<sup>1,6</sup>dec-2-yl]-  
NE C36 H50 N4 O4 S




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN



• H<sub>2</sub>

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O

CH 1




CH 2




L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O





--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O




• HCl

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O

L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O



• HCl


L15 187 ANDREWS . REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-2-ylidene-1-methyl-2-methyl-2-  
piperidinylphenyl)-  
MF C29 H31 N3 O

MF C29 H31 N3 O2




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-4-pentanamine, 8-oxo-N-[3-(4-piperidinyl)phenyl]-  
MF C28 H35 N5 O2



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1,1'-biphenyl)-4-pyridine-2-carboxamide, 3,6-diamino-2-cyano-4-[2-[(1-oxo-3-(1-piperidinyl)-2-ethoxy-1H-pyridin-4-yl)amino]phenyl]-  
MF C25 H25 N7 O2 S



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--




L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C29 H34 N6 O2



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C25 H26 N6 O2



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C29 H34 N6 O2

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C15 H20 F2 N2 O




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetic acid, oso[2-(4-piperidinyl)phenyl]alcohol-, methyl ester (9CI)  
MF C15 H19 N2 O3




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[2,4-difluoro-5-(4-piperidinyl)phenyl]-2-methoxy-  
MF C23 H28 F2 N2 O2




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetanilide, N-[4-(2-(4-hydroxyphenyl)-4-[(1,2-(2-methyl-1-piperidinyl)-2-ethoxy-1H-pyridin-4-yl)amino]phenyl)-1H-pyridin-3-yl]-  
MF C28 H34 N4 O2




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[4-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C24 H33 N5 O2




● 2 HCl

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C30 H34 N6 O2




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C27 H29 H5 O3




OH 2

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C15 H24 N2 O2




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C26 H33 N3 O




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 197 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-(1-piperidinyl)pyrrolidine, N-[5-(2-amino-2-cyano-4-(2-hydroxyphenyl)-4-pyridinyl)-2-(diethylamino)phenyl]-  
MF C30 H33 F3 N2 O




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butene-2-carboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN Propenamide, 2-methyl-2-(4-pyridinyl)phenyl)- (9CI)  
MF C16 H24 N2 O  
CI C08



Page 61



L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN Propenamide, 2-methyl-2-(4-pyridinyl)phenyl)- (9CI)  
MF C16 H24 N2 O  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08

Page 62


\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butene-2-carboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN Propenamide, 2-methyl-2-(4-pyridinyl)phenyl)- (9CI)  
MF C16 H24 N2 O  
CI C08




Page 63



● KCl

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08

Page 65


\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08



CM 2

Page 63




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L15 187 ANSREX REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-piperidinecarboxylic acid, 1-[3-[(2-methoxy-4-(2-hydroxyphenyl)-2-  
propenyl)-4-methyl-5-(4-pyridinyl)phenyl]-4-oxo-  
pentanamide, 2-methyl-2-(4-pyridinyl)phenyl]- (9CI)  
MF C29 H33 F N2 O2  
CI C08



Page 66


--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 1-piperidinopropanamide, N-[3-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C19 H23 N3 O  
CI COH





--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN Butanamine, N-[2-fluoro-5-(4-piperidinyl)phenyl]-  
MF C15 H21 F N2 O



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 1-piperidinopropanamide, N-[4-[[2-[[3-aminopropyl]amino]-4-pyridinyl]phenyl]-  
MF C25 H33 N5 O2




CH 2



L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 1-piperidinopropanamide, N-[3-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C26 H28 Cl N5 O2 . 2 Cl H F3 O2


CH 1



CH 2


--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN Butanamine, N-[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C23 H29 N3 O2



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN Propanamine, 2-amino-N-[2-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C16 H21 F3 N2 O2




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 1-piperidinopropanamide, N-[3-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C29 H31 N5 O3 . 2 Cl H F3 O2

CH 1




L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 1-piperidinopropanamide, N-[3-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C28 H27 N5 O2  
CI COH




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 1-piperidinopropanamide, N-[3-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C28 H33 F N4 O2



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN Butanamine, N-[2-[[3-aminopropyl]amino]-4-pyridinyl]phenyl]-  
MF C27 H31 N5 O




CH 2




L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 1-piperidinopropanamide, N-[3-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C31 H26 N6 O2 . 2 Cl H F3 O2

CH 1




--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--

L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN 2-piperidinopropanamide, N-[3-[[2-aminopropano-4-(2-hydroxyphenyl)-4-pyridinyl]phenyl]-  
MF C30 H26 F N5 O2  
CI COH



--PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT--


L15 187 ANDRES REGISTER COPYRIGHT 2007 ACS on STM  
IN [1,1'-biphenyl]-4-ylpropanamide, N-[5-(4-fluoro-4-methyl-5-(4-piperidinyl)phenyl)-  
MF C28 H31 F N2 O





\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butanamide, N-[(2-fluoro-2-(4-piperidinyl)phenyl)-2,2-dimethyl-1-phenylpropyl]-  
MF C28 H33 F N2 O




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butanamide, N-[(2-fluoro-2-(4-piperidinyl)phenyl)-2,2-dimethyl-1-phenylpropyl]-  
MF C28 H33 F N2 O




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butanamide, N-[(2-fluoro-2-(4-piperidinyl)phenyl)-2,2-dimethyl-1-phenylpropyl]-  
MF C28 H33 F N2 O



L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-Piperidinopropanamide, N-[2-(2-amino-2-cyano-6-(2-hydroxyphenyl)-4-pyridyl)phenyl]-  
MF C28 H32 N6 O2  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-Piperidinopropanamide, N-[2-(2-amino-2-cyano-6-(2-hydroxyphenyl)-4-pyridyl)phenyl]-  
MF C28 H32 N6 O2  
CI C08


\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-Piperidinopropanamide, N-[2-(2-cyano-1,2-dihydro-6-(2-hydroxyphenyl)-2-pyridyl)phenyl]-  
MF C28 H32 N6 O2  
CI C08





\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-Piperidinopropanamide, N-[2-(2-cyano-1,2-dihydro-6-(2-hydroxyphenyl)-2-pyridyl)phenyl]-  
MF C28 H32 N6 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C28 H34 N2 O




L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C28 H34 N2 O  
CI C08



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C28 H34 N2 O  
CI C08




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butanamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C28 H34 N2 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butanamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C28 H34 N2 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Piperidinopropanamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C27 H33 N3 O

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C28 H34 N2 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L15 187 ANDREWS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Piperidinopropanamide, N-[(4-(1-methyl-4-piperidinyl)phenyl)-2-methyl-1-phenylpropyl]-  
MF C28 H34 N3 O











925910-12-7 CAPTIS  
2-Piperidinecarboxamide, N-[3-[3-cyano-6-(4-fluoro-2-hydroxyphenyl)-2-(2-  
fluoranylcarbonyl)amino]-4-pyridinyl]phenyl-1-ethyl-, hydrochloride (1:1)  
(CA INDEX NAME)



●


925923-68-8P 925824-11-4P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PRP (Preparation); RACT  
 (Reactant or reagent)  
 (preparation of pyridophenol deriva. as metastin receptor antagonists for  
 treatment of hormone-dependent cancer, endometriosis, etc.)

Attachment of hormone-dependent cancer, endometrialosis, etc.)  
92-5923-68-8 CAPUS  
1-(8-piperidinocarbonyl)-2-[2-{[3-(3-cyano-6-(4-fluoro-2-methoxyacetyl)phenyl)-2-{[(2-furanylcarbonyl)amino]-4-(pyridinyl)phenoxy]ethyl}-1,1-dimethyl}ethyl] ester (CA INDEX 1074)




RV	925924-11-4	CAFLUS
CN	1-piperidinediacetamide, N-{3-[3-cyano-6-[4-(fluoro-2-(methoxymethoxy)phenyl]-2-(1,2-furanylcarbonyl)amino]-4-pyridinyl]phenyl}- (CA INDEX NAME)	

Print selected from 10518675.17n


[illegible]

IT	described.
	456451-46-1
	RL: RCT (reactant); RACT (Reactant or reagent)
	(reactant; preparation of 1-(aryltienyl)pyridine deriva. for treatment
	of depression and anxiety)
EN	456451-46-1 CAPTUS
CN	Propenamide, 2-methyl-4-[4-methyl-3-(4-piperidinyl)phenyl]- (CA INDEX 1987)




L16 ANGEWER 6 OF 45 CAPLIS COPYRIGHT 2007 ACS on STM  
2006;341625 Document No. 144:130741 Preparation of 1-(arylethoxy)pyridine derivatives for treatment of depression and anxiety. Marzabadi, Mohammad K.; Jiang, Yu; Chen, Chen-An; Lu, Kai; Andersen, Kim (USA). U.S. Pat. Appl. Publ. US 2006073463 A1 20060411, 20 pp. (English). CODEN: USXCAQ. APPL/CAT/N: US 2004-961432 2004/0909.


Print selected from 10519675.trn

[illegible]

5




Print selected from 10510675.urn



**All** The title comds. I [benzoin XI-XS = independently N or (un)substituted CH<sub>2</sub> VI-IV = independently N or (un)substituted; ClI: D = (un)substituted; hexacyclic, heterocyclically, cycloalkyl, etc.; alkyl alky., fluoralkyl, ester or halo ester] were prepared by the usual methods for the synthesis of compounds bearing an MCHL receptor or inhibitors for the treatment of depression and anxiety. For example, the compound II was prepared in a multi-step synthesis. Most comds. showed inhibitory activity with KI 5000 pH against MCHL receptor in cloned rat. Formulations containing

IT I as an active ingredient were also described.  
456451-46-1  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(reactant; preparation of 1-(aryltrobenzyl)piperidine derivs. for treatment

	of depression and anxiety)	
RN	496451-46-1	CAFLUS
CN	Propenazide, 2-methyl-N-[4-methyl-3-(4-piperidinyl)phenyl]-	(CA INDEX



116 ANKERA 7 OF 45. CAPSUS COPYRIGHT 2007 ACS on STN. Equatorial/Ames and 2006


Print selected from 10528675.trn

The title compounds, 1 (R<sup>1</sup> = (unsubstituted) cyclohexyl), (unsubstituted) cyclohexylmethyl, (unsubstituted) allyl, etc.), one of R<sup>2</sup> and R<sup>3</sup> represents a group represented by the formula:  $-\text{C}(\text{O})\text{O}-\text{R}^4$ ; Y = NH, CO, CH<sub>2</sub>, etc.; R<sup>4</sup> represents (unsubstituted) cyclohexyl, (unsubstituted) cyclohexylmethyl, (unsubstituted) allyl, etc.; R<sup>5</sup> represents (unsubstituted) allyl, and the other (unsubstituted) allyl, (unsubstituted) allylmethyl, (unsubstituted) allyl-2,3-epoxide, etc.; R<sup>6</sup> represents  $-\text{CH}_2\text{CH}_2-\text{V}-$  a single bond, O, CO, etc.; R<sup>7</sup> = H, (unsubstituted) allyl, (unsubstituted) allylmethyl, etc.; R<sup>8</sup> = H, (unsubstituted) allyl, (unsubstituted) allylmethyl, etc.) are prepared thus. The title compound II was prepared in 3 steps from isocouzoic derivative III. The title compound IV was prepared in 2 steps from isocouzoic derivative III. The title compound V was prepared in 2 steps from isocouzoic derivative III. Constant-boiling mixtures of 118 hydrocarbons and hydrocarbons. Formulations are given.

IT 916921-86-JP  
are given.

11  
NLS: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BID (Biological study); PAP (Preparation); USES (Uses of the compound);  
[preparation of heterocyclic compds, such as isoxazole derivs, and having type 1 lig hydroxysteroid dehydrogenase inhibitory activity for treatment of diabetes]

IN	916921-06-3	CAPLUS	Treatment of diabetes
CN	5-Isoxazolocarboxamide, 4-(cyclohexylthio)-3-[2,2-diethyl-3-oxo-3-[[4-(4-piperidinyl)phenyl]amino]propoxy]-N-tricyclo[3.1.1.3,7]dec-2-yl]-		(CA INDEX NAME)




L16 ANSWER 5 OF 45 CAPLUS COPYRIGHT 2007 ACS ON STN  
2006:341154 Document No. 144:190742 Preparation of 1-  
(3-ethoxyphenyl)pyrrolidine derivatives for treatment  
of anxiety. Marzabadi, Mohammad R.; Jilang, Yu; Chen,  
Andersen, Kim (H. Lundbeck A/S, Den.). U.S. Pat. A.  
US 2005/079523 A1 20050613, 25 PP. (English). CODEN:  
US 2005-5231601. PRIORITY: US 2004-619890P.

et

Print selected from 10519675.terr

MD, MR, ME, ML, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2.  
 APPLICATIONS: MN 2005-FEB18 20050705. DEPOSIT: CA 2004-16278 20040727.


5



**AB** Title compds. 1 [A = (un)substituted pyridine, metadiazine, imidazole, etc.]; 8 = (un)substituted benzimidazole, benzoxazole, oxindole, etc.; R<sup>1</sup> = H, halo, OR; X = HC=, N=; L<sup>1</sup> = CH<sub>2</sub>, CH<sub>2</sub>CH<sub>2</sub>; L<sub>2</sub> = CH<sub>2</sub>, CO; R<sup>2</sup> = H, alkyl, etc.) and their pharmaceutically acceptable salts were prepared for example, N-alkylation of amine II with 2-chloro-4-(4-chlorophenyl)quinazoline afforded quinazolinamine III. In MCH-IR receptor binding assays, 13-examples of compds. 1 exhibited IC<sub>50</sub> values <0.5 nM.

IT binding assays, 13-examples of compds. 1 exhibited IC50 values <0.5 nM. 37372-25-0p, N-[3-(piperidin-4-ylphenyl)acetamide  
 R1: RCT (Reactant); STN (Synthetic preparation); PREP (Preparation); RACT  
 (Reactant or reagent)  
 (preparation of 2-quinoxalinamines and related compds. as MCN-1A receptor  
 modulators)


CA INDEX NAME	(CA INDEX NAME)
modulators)	
397527-25-0	CAFLUS
Acetamide, N-[2-(4-oxocyclohexyl)phenyl]-	












859170-26-6 CAPLUS  
Butanamide, N-(4-methyl-3-(4-piperidinyl)phenyl)-4-{4-(3-pyridinyl)phenoxy}- (CA INDEX NAME)




059170-27-7 CAPLUS  
Benzenepentenamide, N-[4-methyl-3-(4-piperidinyl)phenyl]-4-(4-pyridinyl)-  
(CA INDEX NAME)




SRN	NAME	CA INDEX NAME
159170-28-8	CAPLUS	
CN	Butenamide, N-[(4-methyl-3-(4-piperidinyl)phenyl)-4-[4-(2-pyridinyl)phenoxy]-	




L16 ANSWER 14 OF 45 CAPLUS COPYRIGHT 2007 ACS on STM  
2005:567133 Document NO. 14:97338 Preparation of 3-amino-5-cyanobenzothio[2,3-  
b]pyridine-2-carboxamides as IKK2 inhibitors for the treatment of HBV  
infection. Chen, Huihui; Zhang, Weijian; Tao, Robert; Ravey, Anneke K.  
Klabaphara, Inc., USA. PCT Int. Appl. No: 2005/053315 1. 2006:30, 45 pp.  
DESIGNATED STATES: \* AE, AG, AU, AT, AZ, BA, BB, BG, BF, BR, BY,  
BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, EG, ES, FI, GB,  
GR, HU, IL, IN, JP, KE, KG, KH, KR, KZ, LA, LB, LC, LI, LU, LV, MA,  
MG, MK, MN, MU, MV, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM,  
PA, PE, PG, PH, PK, PL, PT, RU, RW, SA, SC, SD, SE, SG, SI, SK, SL,  
SM, SN, SR, ST, SV, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VE,  
VG, VI, VN, YU, ZA, ZM, ZW. Filing Date: 20050510. International  
Classification: C07D 231/00, C07D 231/06, C07D 231/08, C07D 231/10, C07D  
231/12, C07D 231/14, C07D 231/16, C07D 231/18, C07D 231/20, C07D 231/22,  
C07D 231/24, C07D 231/26, C07D 231/28, C07D 231/30, C07D 231/32, C07D  
231/34, C07D 231/36, C07D 231/38, C07D 231/40, C07D 231/42, C07D 231/44,  
C07D 231/46, C07D 231/48, C07D 231/50, C07D 231/52, C07D 231/54, C07D  
231/56, C07D 231/58, C07D 231/60, C07D 231/62, C07D 231/64, C07D 231/66,  
C07D 231/68, C07D 231/70, C07D 231/72, C07D 231/74, C07D 231/76, C07D  
231/78, C07D 231/80, C07D 231/82, C07D 231/84, C07D 231/86, C07D 231/88,  
C07D 231/90, C07D 231/92, C07D 231/94, C07D 231/96, C07D 231/98, C07D  
231/00, C07D 231/02, C07D 231/04, C07D 231/06, C07D 231/08, C07D 231/10,  
C07D 231/12, C07D 231/14, C07D 231/16, C07D 231/18, C07D 231/20, C07D  
231/22, C07D 231/24, C07D 231/26, C07D 231/28, C07D 231/30, C07D 231/32,  
C07D 231/34, C07D 231/36, C07D 231/38, C07D 231/40, C07D 231/42, C07D  
231/44, C07D 231/46, C07D 231/48, C07D 231/50, C07D 231/52, C07D 231/54,  
C07D 231/56, C07D 231/58, C07D 231/60, C07D 231/62, C07D 231/64, C07D  
231/66, C07D 231/68, C07D 231/70, C07D 231/72, C07D 231/74, C07D 231/76,  
C07D 231/78, C07D 231/80, C07D 231/82, C07D 231/84, C07D 231/86, C07D  
231/88, C07D 231/90, C07D 231/92, C07D 231/94, C07D 231/96, C07D 231/98,  
C07D 231/00, C07D 231/02, C07D 231/04, C07D 231/06, C07D 231/08, C07D  
231/10, C07D 231/12, C07D 231/14, C07D 231/16, C07D 231/18, C07D 231/20,  
C07D 231/22, C07D 231/24, C07D 231/26, C07D 231/28, C07D 231/30, C07D  
231/32, C07D 231/34, C07D 231/36, C07D 231/38, C07D 231/40, C07D 231/42,  
C07D 231/44, C07D 231/46, C07D 231/48, C07D 231/50, C07D 231/52, C07D  
231/54, C07D 231/56, C07D 231/58, C07D 231/60, C07D 231/62, C07D 231/64,  
C07D 231/66, C07D 231/68, C07D 231/70, C07D 231/72, C07D 231/74, C07D  
231/76, C07D 231/78, C07D 231/80, C07D 231/82, C07D 231/84, C07D 231/86,  
C07D 231/88, C07D 231/90, C07D 231/92, C07D 231/94, C07D 231/96, C07D  
231/98, C07D 231/00, C07D 231/02, C07D 231/04, C07D 231/06, C07D 231/08,  
C07D 231/10, C07D 231/12, C07D 231/14, C07D 231/16, C07D 231/18, C07D  
231/20, C07D 231/22, C07D 231/24, C07D 231/26, C07D 231/28, C07D 231/30,  
C07D 231/32, C07D 231/34, C07D 231/36, C07D 231/38, C07D 231/40, C07D  
231/42, C07D 231/44, C07D 231/46, C07D 231/48, C07D 231/50, C07D 231/52,  
C07D 231/54, C07D 231/56, C07D 231/58, C07D 231/60, C07D 231/62, C07D  
231/64, C07D 231/66, C07D 231/68, C07D 231/70, C07D 231/72, C07D 231/74,  
C07D 231/76, C07D 231/78, C07D 231/80, C07D 231/82, C07D 231/84, C07D  
231/86, C07D 231/88, C07D 231/90, C07D 231/92, C07D 231/94, C07D 231/96,  
C07D 231/98, C07D 231/00, C07D 231/02, C07D 231/04, C07D 231/06, C07D  
231/08, C07D 231/10, C07D 231/12, C07D 231/14, C07D 231/16, C07D 231/18,  
C07D 231/20, C07D 231/22, C07D 231/24, C07D 231/26, C07D 231/28, C07D  
231/30, C07D 231/32, C07D 231/34, C07D 231/36, C07D 231/38, C07D 231/40,  
C07D 231/42, C07D 231/44, C07D 231/46, C07D 231/48, C07D 231/50, C07D  
231/52, C07D 231/54, C07D 231/56, C07D 231/58, C07D 231/60, C07D 231/62,  
C07D 231/64, C07D 231/66, C07D 231/68, C07D 231/70, C07D 231/72, C07D  
231/74, C07D 231/76, C07D 231/78, C07D 231/80, C07D 231/82, C07D 231/84,  
C07D 231/86, C07D 231/88, C07D 231/90, C07D 231/92, C07D 231/94, C07D  
231/96, C07D 231/98, C07D 231/00, C07D 231/02, C07D 231/04, C07D 231/06,  
C07D 231/08, C07D 231/10, C07D 231/12, C07D 231/14, C07D 231/16, C07D  
231/18, C07D 231/20, C07D 231/22, C07D 231/24, C07D 231/26, C07D 231/28,  
C07D 231/30, C07D 231/32, C07D 231/34, C07D 231/36, C07D 231/38, C07D  
231/40, C07D 231/42, C07D 231/44, C07D 231/46, C07D 231/48, C07D 231/50,  
C07D 231/52, C07D 231/54, C07D 231/56, C07D 231/58, C07D 231/60, C07D  
231/62, C07D 231/64, C07D 231/66, C07D 231/68, C07D 231/70, C07D 231/72,  
C07D 231/74, C07D 231/76, C07D 231/78, C07D 231/80, C07D 231/82, C07D  
231/84, C07D 231/86, C07D 231/88, C07D 231/90, C07D 231/92, C07D 231/94,  
C07D 231/96, C07D 231/98, C07D 231/00, C07D 2

[illegible]

RM	668435-29-8	CAPLUS
CN	Acetamide, N-[4-(1-methyl-6-piperidinyl)phenyl]-	(CA INDEX NAME)



RN	66945-32-3	CAPLUS
CN	Acetamide, N-[4-(1-methyl-4-piperidinyl)-2-nitrophenyl]- (CA INDEX NAME)	

[illegible][illegible]















17  
CN 378727-25-0 CAPLUS  
CN Acetamide, N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)



18  
CN 378727-25-9 CAPLUS  
CN Propionamide, 2-methyl-N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)



116 ANSWER 28 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN  
2003:126323 Document No. 13978407 Discovery of novel and selective  
1-piperidinopropionamides, N-[3-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-  
pyridinyl)phenyl]- (CA INDEX NAME)  
Marabadi, Mohamed A.; Metral, John Dalton, John E.; Lago, Shireen,  
Pharmaceutical Corp., USA, U.S. Pat. Publ. US 2003066261 A1  
20030101, 101 pp. (English). CAPLUS 2003. APPLICATION US 2001-596435  
2001055. PRIORITY US 2000-216239 20000705.


GI

STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT -


18  
CN 378727-25-9 CAPLUS  
CN Propionamide, 2-methyl-N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)

Page 143


17  
CN 378727-25-0 CAPLUS  
CN Acetamide, N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)



18  
CN 378727-25-9 CAPLUS  
CN Propionamide, 2-methyl-N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)




19  
CN 378727-25-9 CAPLUS  
CN Propionamide, 2-methyl-N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)



● HCI


116 ANSWER 29 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN  
2003:126323 Document No. 13978407 Discovery of novel and selective  
1-piperidinopropionamides, N-[3-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-  
pyridinyl)phenyl]- (CA INDEX NAME)  
Marabadi, Mohamed A.; Metral, John Dalton, John E.; Lago, Shireen,  
Pharmaceutical Corp., USA, U.S. Pat. Publ. US 2003066261 A1  
20030101, 101 pp. (English). CAPLUS 2003. APPLICATION US 2001-596435  
2001055. PRIORITY US 2000-216239 20000705.

Page 144




● HCI

17  
CN 378727-25-0 CAPLUS  
CN Acetamide, N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)




● HCI

17  
CN 378727-25-0 CAPLUS  
CN Acetamide, N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)





Page 147


17  
CN 378727-25-0 CAPLUS  
CN Acetamide, N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)



18  
CN 378727-25-9 CAPLUS  
CN Propionamide, 2-methyl-N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)





19  
CN 378727-25-9 CAPLUS  
CN Propionamide, 2-methyl-N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)




● HCI

116 ANSWER 30 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN  
2003:126323 Document No. 13978407 Discovery of novel and selective  
1-piperidinopropionamides, N-[3-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-  
pyridinyl)phenyl]- (CA INDEX NAME)  
Marabadi, Mohamed A.; Metral, John Dalton, John E.; Lago, Shireen,  
Pharmaceutical Corp., USA, U.S. Pat. Publ. US 2003066261 A1  
20030101, 101 pp. (English). CAPLUS 2003. APPLICATION US 2001-596435  
2001055. PRIORITY US 2000-216239 20000705.

Page 148





17  
CN 378727-25-0 CAPLUS  
CN Acetamide, N-[3-(4-piperidinyl)phenyl]- (CA INDEX NAME)



116 ANSWER 30 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN  
2003:126323 Document No. 13978407 Discovery of novel and selective  
1-piperidinopropionamides, N-[3-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-  
pyridinyl)phenyl]- (CA INDEX NAME)  
Marabadi, Mohamed A.; Metral, John Dalton, John E.; Lago, Shireen,  
Pharmaceutical Corp., USA, U.S. Pat. Publ. US 2003066261 A1  
20030101, 101 pp. (English). CAPLUS 2003. APPLICATION US 2001-596435  
2001055. PRIORITY US 2000-216239 20000705.

GI

Page 149




A0 The title compounds, if R1 = H, alkyl, aryl, etc.; R2 = alkyl, cyclopropyl, R3 = unsubstituted (heterocyclic); A = H, F, Cl, Br, CH<sub>3</sub>, etc.; X = O, R<sub>4</sub> or R<sub>5</sub>, etc.; R<sub>4</sub> and R<sub>5</sub> are defined as follows: R<sub>4</sub> = H, alkyl, aryl, etc.; R<sub>5</sub> = H, alkyl, aryl, etc. The compounds are prepared by the reaction of a substituted piperidine with a substituted aldehyde in the presence of a base and a catalyst.


IT 37927-25-0, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.

RU 37927-25-0, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.


RU 37927-25-0, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




IT 37927-25-0, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.



RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.



2-Methyl-N-[2-(4-piperidinyl)phenyl]propanamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.


RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.

RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.

RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




• MCH

RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.



• MCH

1. Title compounds, if R1 = H, alkyl, aryl, etc.; R2 = alkyl, cyclopropyl, R3 = unsubstituted (heterocyclic); A = H, F, Cl, Br, CH<sub>3</sub>, etc.; X = O, R<sub>4</sub> or R<sub>5</sub>, etc.; R<sub>4</sub> and R<sub>5</sub> are defined as follows: R<sub>4</sub> = H, alkyl, aryl, etc.; R<sub>5</sub> = H, alkyl, aryl, etc. The compounds are prepared by the reaction of a substituted piperidine with a substituted aldehyde in the presence of a base and a catalyst.




A0 The title compounds, if R1 = H, alkyl, aryl, etc.; R2 = alkyl, cyclopropyl, R3 = unsubstituted (heterocyclic); A = H, F, Cl, Br, CH<sub>3</sub>, etc.; X = O, R<sub>4</sub> or R<sub>5</sub>, etc.; R<sub>4</sub> and R<sub>5</sub> are defined as follows: R<sub>4</sub> = H, alkyl, aryl, etc.; R<sub>5</sub> = H, alkyl, aryl, etc. The compounds are prepared by the reaction of a substituted piperidine with a substituted aldehyde in the presence of a base and a catalyst.


IT 37927-25-0, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.

RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.


RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.



RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.

1. Title compounds, if R1 = H, alkyl, aryl, etc.; R2 = alkyl, cyclopropyl, R3 = unsubstituted (heterocyclic); A = H, F, Cl, Br, CH<sub>3</sub>, etc.; X = O, R<sub>4</sub> or R<sub>5</sub>, etc.; R<sub>4</sub> and R<sub>5</sub> are defined as follows: R<sub>4</sub> = H, alkyl, aryl, etc.; R<sub>5</sub> = H, alkyl, aryl, etc. The compounds are prepared by the reaction of a substituted piperidine with a substituted aldehyde in the presence of a base and a catalyst.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.

RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.




RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.



RU 46447-71-6, N-[2-(4-piperidinyl)phenyl]acetamide. Preparation of substituted anilinic piperidines as MCH selective antagonists.








CH 2  
CN 76-05-1  
CHF C2 H F3 O2



RN 433959-13-8 CASUS  
CN 1-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-pyridyl)-2-(diethylamino)phenyl-, bis(trifluoroacetate) (salt) (PCI)  
(CA INDEX NAME)

CH 1  
CN 433958-28-2  
CHF C28 H32 N6 O2




CH 2  
CN 76-05-1  
CHF C2 H F3 O2



RN 433959-41-2 CASUS  
CN 1-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-pyridyl)-2-(diethylamino)phenyl-, bis(trifluoroacetate) (salt) (PCI)  
(CA INDEX NAME)

CH 1  
CN 433959-40-3  
CHF C28 H32 N6 O2




CH 2  
CN 76-05-1  
CHF C2 H F3 O2



RN 433959-42-4 CASUS  
CN 1-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-pyridyl)-2-(diethylamino)phenyl-, bis(trifluoroacetate) (salt) (PCI)  
(CA INDEX NAME)

CH 1  
CN 433959-42-3  
CHF C31 H36 N6 O2





CH 2  
CN 76-05-1  
CHF C2 H F3 O2



RN 433959-43-8 CASUS  
CN 1-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-pyridyl)-2-(diethylamino)phenyl-, bis(trifluoroacetate) (salt) (PCI)  
(CA INDEX NAME)

CH 1  
CN 433959-43-8  
CHF C30 H36 N6 O2



CH 2  
CN 76-05-1  
CHF C2 H F3 O2




RN 433959-46-7 CASUS  
CN 1-(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-pyridyl)-2-(diethylamino)phenyl-, bis(trifluoroacetate) (salt) (PCI)  
(CA INDEX NAME)

CH 1  
CN 433959-46-6  
CHF C31 H36 N6 O3

Absolute stereochemistry.

RN 433960-10-2 CASUS  
CN 4-piperidinocarboxylic acid, 1-[(3-[(3-[(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-pyridyl)-2-(diethylamino)phenyl]-1-yl)-2-hydroxyethyl]-1-yl)-2-hydroxyethyl]-, ethyl ester, bis(trifluoroacetate) (salt) (PCI)  
(CA INDEX NAME)

CH 1  
CN 433960-03-9  
CHF C27 H31 N5 O4



CH 2  
CN 76-05-1  
CHF C2 H F3 O2



RN 433960-13-4 CASUS  
CN 3-piperidinocarboxylic acid, 1-[(3-[(3-[(2-amino-3-cyano-6-(2-hydroxyphenyl)-4-pyridyl)-2-(diethylamino)phenyl]-1-yl)-2-hydroxyethyl]-1-yl)-2-hydroxyethyl]-, ethyl ester, bis(trifluoroacetate) (salt) (PCI)  
(CA INDEX NAME)

CH 1  
CN 433960-11-3  
CHF C29 H33 N5 O4

